

Appendix 1

Tropical tree species and CITES tree species

The list covers commercial names and Latin names for tropical tree species commonly used in Denmark together with every tree species covered CITES as of June 30 2003, regardless whether they are tropical. Some tropical tree species not listed may be traded in Denmark just as some species may be traded under names different from the listed. The list is only intended as a guide. In order to perform control of the CITES species, the Latin name is the most credible entry. Further detailed information on the CITES species is rendered in Appendix 2.

In addition it is noted that the lists of endangered species of fauna and flora are being revised from time to time and furthermore that specific resolutions are currently made, primarily within the framework of the EU, on individual species on the CITES list. The list below is not necessarily exhaustive. Information on these matters is available by addressing the Danish Forest and Nature Agency, which is also able to render more detailed information on the current regulations on specific species of flora and fauna. The CITES division can be reached on every weekday between 9 and 12 a.m. on 3947 2423.

Explanation:

ABACHI With capital letters - most common commercial name.

Samba With ordinary writing - other commercial name(s).

Triplochiton *In italics* - Latin name(s).

Scleroxylon

Name	Other names, origin, CITES-lists
Aba	see AZOBÉ
ABACHI	Ayous, Obeche, Samba, Wawa (<i>Triplochiton scleroxylon</i>); West Africa
Abang	see IROKO
Abarco	see JEQUITIBA
Abel	see AIÉLE
<i>Abies guatemalensis</i>	CITES (list I)
Aboudikro	see SAPELLI
ABURA	Bahia, Elilom, Subaha (<i>Mitragyna stipulosa</i> , <i>M. ciliata</i>); Tropical Africa
Acajou-Blanc	see KRALA
Acajou-d'Afrique	see MAHOGNI, AFRIKANSK
Afara	see LIMBA
Afara, Black	see FRAMIRÉ
African "Walnut"	see DIBETOU
African "Walnut"	see MANSONIA
African Blackwood	see GRENADILLE
African Teak	CITES (LIST II) - see KOKRODUA

Afrikansk Citron	see MOVINGUI
Afrikansk Padouk	see PADOUK
<i>Afrormorsia elata</i>	CITES (LIST II) - see KOKRODUA
Afrormosia	CITES (LIST II) - see KOKRODUA
Afzelia	see DOUSSIÉ
<i>Afzelia africana</i>	see DOUSSIÉ
<i>Afzelia bella</i>	see DOUSSIÉ
<i>Afzelia bipindensis</i>	see DOUSSIÉ
<i>Afzelia pachyloba</i>	see DOUSSIÉ
<i>Afzelia quanzensis</i>	see DOUSSIÉ
AGBA	Tola, Tola-Branca (<i>Gossweilerodendron balsamiferum</i>); West Africa
Agboin	see DABEMA
Agerhønsetræ	see SUCUPIRA
Aguano	see MAHOGNI, AMERIKANSK
AIÉLE	Abel, Bediwunua, Canarium, Mbili (<i>Canarium schweinfurthii</i>); Tropical Africa
Aké	see KOTO
AKO	Kirundu, Antiaris, Chenchen, Bokongo, Andoum (<i>Antiaris africana</i> , <i>A. welwitschii</i>); West and East Africa
Akoba	see AZOBÉ
Akom	see LIMBA
Akomu	see ILOMBA
ALAN	Alen, Amouk, Eruk (<i>Detarium macrocarpum</i>); West Africa
<i>Albizzia lebbbeck</i>	see KOKKO
Alcornoque	see NATO
Alcornoque	see SUCUPIRA
Alen	see ALAN
ALERCE	Lauan (<i>Fitzroya cupressoides</i>); CITES list I; Chile and the Island of Chiloe
Algaroba	see COURBARIL
Almon	see LAUAN, WHITE
Aloma	see BILINGA
AMARELO	Brazil "Buksbom", Pau Amarelo, Pau Setim, Brézil "Boxwood", Para-Amorello (<i>Euxylophora paraensis</i>); The Amazon of Brazil
AMARILLO	Larger group originating from Tropical America, includes numerous species - Arariba, Pau Setim, Pau Marfim, Guatambu-Amarillo etc. (<i>Centrolobium spp.</i> , <i>Aspidospermum spp.</i> etc.); Tropical America, Brazil in particular.
Amazoué	see WHIMAHWE
Amouk	see ALAN

<i>Andira coriacea</i>	see SUCUPIRA
<i>Andira inermis</i>	see SUCUPIRA
ANDIROBA	Crabwood, Krappa, Guino (<i>Carapa guianensis</i>); Tropical South and Central America
Andoum	see AKO
Angelique	see BASRALOCUS
Angelique, Grå	see BASRALOCUS
Angelique, Hvid	see BASRALOCUS
Angelique, Rød	see BASRALOCUS
Angelim Rosa	see ANGELIM VERMELHO
ANGELIM VERMELHO	Angelim Rosa, Pau Pereira (<i>Platycyamos regnellii</i>); Brazil
Angelin	see SUCUPIRA
Angelique do Para	see BASRALOCUS
Angelique Gris	see BASRALOCUS
Angelique Rouge	see BASRALOCUS
Angesena	see NARRA
Angona	see ONZABILI
Anguekong	see NIANGON
<i>Aningeria spp.</i>	see ANINGRÉ
ANINGRÉ	Aningueri, Hvid Aningré, Aningré Blanc, Landosan, Mukali, Muna, Osan, Tutu, Kawaro (<i>Aningeria spp.</i>); Tropical Africa
Aningré Blanc	see ANINGRÉ
Aningré, Hvid	see ANINGRÉ
Aningueri	see ANINGRÉ
<i>Anisoptera spp.</i>	see KRABAK
<i>Anthocephalus spp.</i>	see LARAN
Antiaris	see AKO
<i>Antiaris africana</i>	see AKO
<i>Antiaris welwitschii</i>	see AKO
<i>Antrocaryon klaineianum</i>	see ONZABILI
<i>Antrocaryon mannii</i>	see ONZABILI
Anyan	see DOUSSIE
Apaya	see AVODIRE
Apitong	see YANG
Apopo	see DIBETOU
Aprono	see MANSONIA

<i>Aquilaria malaccensis</i>	CITES list II
Araputanga	see MAHOGNI, AMERIKANSK
Arariba	see AMARILLO ("Arariba" is also used for a number of different South American tree species)
<i>Araucaria araucana</i>	CITES (list I) see MONKEY PUZZLE
Asamela	CITES (LIST II) - see KOKRODUA
<i>Aspidospernum eburneum</i>	see PEROBA-AMARELLA
<i>Aspidospernum spp.</i>	see AMARILLO
Assia	see OZIGO
Assié	see UTILÉ
Atom-Assié	see KOSIPO
<i>Aucoumea klaineana</i>	see OKOUMÉ
Australsk "Mahogni"	tola, Tola-Branca (<i>Gossweilerodendron balsamiferum</i>); West Africa
AVODIRÉ	Apaya, Lusamba, Engan (<i>Turraeanthus spp.</i>); The Mangroves of West Africa
Awong	see WENGE
Awong	see WENGÉ
Ayab	see MOABI
Ayan	see MOVINGUI
Ayous	see ABACHI
AYUGUE	<i>Balmea stormiae</i> - CITES list I
AZOBÉ	Aba, Akoba, Bakandu, Bankile, Bongossi, Bonkolé, Eba, Ekki, Endvi, Esore, Hendui, Kaku, Ozobe, Red Ironwood (<i>Lophira alata</i> , <i>L. procera</i>); Tropical Africa
Baboen	see BANAK
Bacu	see JEQUITIBA
Badi	see BILINGA
Bagtikan	see LAUAN, WHITE
Bahia	see ABURA
Bakandu	see AZOBÉ
Baku	see MAKORÉ
Balam	see NYATOH
BALAU	Red Selangan, Sal, Chan, Selanga Batu, Yakal, Bankiraj, Guijo (<i>Shorea spp.</i> – Heavy and dark types); South East Asia. BALAU is a sub-group of MERANTI.
<i>Balfourodendron riedelianum</i>	see GUATAMBU
<i>Balmea stormiae</i>	CITES list I - see AYUGUE
BALSA	Cork wood (<i>Ochroma lagopus</i>); Tropical America

BANAK	Baboen, Virola (<i>Virola surinamensis</i> , <i>V. spp.</i>); Tropical South America, in particular by the delta of The Amazon.
Bankile	see AZOBÉ
Bankirai	see BALAU
Barwood	see PADOUK
BASRALOCUS	Bastard-Locust, Angelique, Ageligue do Para, Angelique Rouge, Angelique Gris, Hvid Angelique, Rød A., Grå A. (<i>Dicorynia paraensis</i> , <i>D. guianensis</i>); Guyanas, Brazil
Bastard-Locust	see BASRALOCUS
Bebya	see GERONGGANG
Bediwunua	see AIÉLE
Belian	see BILLIAN
Bété	see MANSONIA
Bibolo	see DIBETOU
BILINGA	Aloma, Badi, Kusia, Opepe, Guld "Mahogni", Gulu-Maza (<i>Nauclea trillesii</i> , <i>Sarcocephalus diderrichii</i> , <i>S. spp.</i>); West Africa to Uganda
BILLIAN	Belian, Borneo Ironwood (<i>Eusideroxylon zwageri</i>); Indonesia and northern parts of Borneo
Binatoh	see MERANTI, LIGHT-RED
BINTANGOR	Ma, Poon, Canoe Tree (<i>Calophyllum inophyllum</i>); South East Asia
Blackwood, Bombay	see PALISANDER
Bois Corail	see PADOUK
Bois de Tatajuba	see PIQUIA
Bokongo	see AKO
Bolengu	see DOUSSIÉ
<i>Bombacopsis sepium</i>	see SAQUI-SAQUI
Bombay Blackwood	see PALISANDER
Bombolu	see DIBETOU
Bongossi	see AZOBÉ
Bonkolé	see AZOBÉ
Borneo "Kamfertræ"	see KAPUR
Bosassa	see BOSSÉ
BOSSÉ	Bosse Clair, Obobo-nutwa, Bosassa, White Guarea, Scented Guarea (<i>Guarea cedrata</i>), Diambi-Ditoka (<i>G. laurentii</i>), Bossé Foncé, Mutigbanaye, Obobonekwi, Diambi, Black Guarea (<i>G. thompsonii</i>); Tropical Africa
Bossé Clair	see BOSSÉ
Bossé Foncé	see BOSSÉ
<i>Bowdichia virgillodides</i>	see SUCUPIRA
Brazil "Buksbom"	see AMARELO

Brésil "Boxwood"	see AMARELO
Brown Ebony	see SUCUPIRA
BUBINGA	Kevazingo, Waka (<i>Guibourtia demeusei</i> , <i>G.tessmanii</i> , <i>G.pellegriniana</i>); Equatorial Africa
<i>Bulnesia arborea</i>	see VERAWOOD and POKKENHOLT (CITES list II)
Burma-Padauk	see PADAUK
<i>Caesalpinia granadillo</i>	see SUCUPIRA
Calantas	see SUREN
<i>Calophyllum brasilense</i>	see BITANGOR
<i>Calophyllum inophyllum</i>	see BITANGOR
<i>Camponosperma auriculata</i>	see OREY
Canarium	see AIÉLE
<i>Canarium schweinfurthii</i>	see AIÉLE
Canella	see IMBUYA
Canelo	see LOURO
Canoe Tree	see BITANGOR
Caoba	see MAHOGNI, AMERIKANSK
<i>Caoba americana</i>	see MAHOGNI, AMERIKANSK
<i>Caoba mejicana</i>	see MAHOGNI, AMERIKANSK
<i>Carapa guianensis</i>	see ANDIROBA
<i>Cariniana spp.</i>	see JEQUITIBA
<i>Caryocar brasiliense</i>	see PIQUIA
<i>Caryocar costaricensis</i>	CITES (list II)
<i>Caryocar costaricensis</i>	CITES (list II) – in addition, see the related species under PIQUIA
<i>Caryocar glabrum</i>	see PIQUIA
<i>Caryocar nuciferum</i>	see PIQUIA
CATIVO	<i>Prioria copaifera</i> ; Central America and the West Indies.
CEDAR	Cedro, Southamerican Cedro (<i>Cedrela fissilis</i> , <i>C.odorata</i> (CITES LIST III); Brazil, Peru, Guyana. In addition see the similar CEDRELA
Cedar, British Honduras	see CEDRELA
Cedar, Central American	see CEDRELA
Cedre gris	see MANDIOQUERIA
CEDRELA	Cigarkasseceder, British Honduras Cedar, Central American-Cedar and many other local names attached to Cedar (<i>Cedrela mexicana</i> , <i>C. spp</i>); Central and South America. In addition see the similar CEDAR
<i>Cedrela fissilis</i>	see CEDAR
<i>Cedrela mexicana</i>	see CEDRELA

<i>Cedrela odorata</i>	CITES (list III) - see CEDAR
<i>Cedrela spp.</i>	see CEDRELA
Cedrilho	see JATOBY
Cedro	see CEDAR
Cedro, South American	see CEDAR
<i>Ceiba</i>	see KAPOKTRÆ
<i>Ceiba occidentalis</i>	see KAPOKTRÆ
<i>Ceiba pentandra</i>	see KAPOKTRÆ
<i>Centrolobium spp.</i>	see AMARILLO
Champac	CITES (list III) - see SAFAN
Chan	see BALAU
Chanfuta	see DOUSSIÉ
Chenchen	see AKO
Chile-Pine	CITES (list I) see MONKEY PUZZLE
<i>Chlorophora excelsa</i>	see IROKO
<i>Chlorophora regia</i>	see IROKO
Chumprak	see MENGKULANG
Cigarkasseceder	see CEDRELA
CIPRES CHILENO	Cipres de Guatecas, Patagonia "Cypress" (<i>Pilgerodendron uviferum</i>); CITES (list I); Chile and Patagonia
Cipres de Guatecas	CITES (list I) - see CIPRES CHILENO
Civit	see MERPAUH
Cobano	see MAHOGNI, AMERIKANSK
COCOBOLO	Centralamerikansk Grenadille (<i>Dalbergia retusa</i>); Southern Central America and Southern Mexico.
Coer Dehors	see SUCUPIRA
<i>Cordia goeldiana</i>	see FREIJO
Cordia-Wood	see FREIJO
Corina	see LIMBA
Corina, Light	see LIMBA
Cork wood	see BALSA
COURBARIL	Jatoba, Algaroba, Westindian Locustree, Tigerwood (<i>Hymenaea courbaril</i> , <i>H. davisii</i>); Tropical America and the West Indies
Crabwood	see ANDIROBA
<i>Cratoxylon spp.</i>	see GERONGGANG
Cuba-Mahogni	see MAHOGNI, AMERIKANSK
DABEMA	Dahoma, Agboin; <i>Piptadenia africana</i> ; Tropical America

<i>Dacryodes buettneri</i>	see OZIGO
<i>Dactylocladus</i>	
<i>stenostachysk</i>	see JONGKONG
Dahoma	see DABEMA
<i>Dailionella toxisperma</i>	see MOABI
<i>Dalbergia cubilguitzensis</i>	see PALISANDER
<i>Dalbergia latifolia</i>	see PALISANDER
<i>Dalbergia melanoxydon</i>	see GRENADILLE
<i>Dalbergia nigra</i>	see PALISANDER – NB. CITES list I
<i>Dalbergia retusa</i>	see COCOBOLO
<i>Dalbergia stevensonii</i>	see PALISANDER - NB. Includes CITES-species
Damar	see MERANTI, YELLOW
Danta	see KOTIBÉ
DAO	Paldao, New Guinea "Walnut", Pacific "Walnut" (<i>Dracontomelum dao</i> , <i>D. spp.</i>); The Philippines, New Guinea
Dau	see YANG
Dempambi	see MOABI
<i>Detarium macrocarpum</i>	see ALAN
Determa	see LOURO
Diambi	see BOSSÉ
Diambi-Ditoka	see BOSSÉ
DIBETOU	Bibolo, Apopo, African "Walnut", Bombolu (<i>Lovoa klaineana</i> , <i>L. trichilioides</i>); West Africa
<i>Dicorynia guianensis</i>	see BASRALOCUS
<i>Dicorynia paraensis</i>	see BASRALOCUS
<i>Didymopanax</i>	
<i>longipetiolatum</i>	see MANDIOQUERIA
<i>Diospyros atropurea</i>	see IBENHOLT
<i>Diospyros crassiflora</i>	see IBENHOLT
<i>Diospyros discolor</i>	see KAMAGONG
<i>Diospyros macassar</i>	see IBENHOLT, MACASSAR
<i>Diospyros perrieri</i>	see IBENHOLT, MADAGASCAR
<i>Diospyros piscatoria</i>	see IBENHOLT
<i>Diospyros rumphii</i>	see IBENHOLT, MACASSAR
<i>Diospyros selebica</i>	see IBENHOLT, MACASSAR
<i>Diospyros spp.</i>	see IBENHOLT

<i>Diploptropis martiusii</i>	see SUCUPIRA
<i>Diploptropis purpurea</i>	see SUCUPIRA
<i>Dipterocarpus spp.</i>	see YANG
<i>Distemonanthus</i>	
<i>benthamianus</i>	see MOVINGUI
DOUSSIÉ	Afzelia, Anyan, Bolengu (<i>Afzelia bipindensis</i> , <i>A. pachyloba</i> , <i>A. africana</i> , <i>A. bella</i>); West Africa; Chanfuta (<i>Afzelia quanzensis</i>); East Africa
<i>Dracontomelum dao</i>	see DAO
<i>Dracontomelum spp.</i>	see DAO
<i>Dryobalanops aromatica</i>	see KAPUR
<i>Dryobalanops spp.</i>	see KAPUR
<i>Dumoria heckelii</i>	see MAKORÉ
<i>Dyera costulata</i>	see JELUTONG
Eba	see AZOBÉ
Edinam	see TIAMA
Edoussié	see TIAMA
Ekki	see AZOBÉ
Elilom	see ABURA
Emeri	see FRAMIRÉ
<i>Endiandra palmerstoni</i>	see ORIENTAL WOOD
Endvi	see AZOBÉ
Engan	see AVODIRÉ
<i>Entandrophragma</i>	
<i>angolense</i>	see TIAMA
<i>Entandrophragma</i>	
<i>candollei</i>	see KOSIPO
<i>Entandrophragma</i>	
<i>cylindricum</i>	see SAPELLI
<i>Entandrophragma utile</i>	see UTILÉ
E nuk	see ALAN
<i>Erisma uncinatum</i>	see JATOBY
<i>Eschweilera mata-mata</i>	see MATA-MATA
<i>Eschweilera spp.</i>	see MATA-MATA
Esore	see AZOBÉ
<i>Eucalyptus marginata</i>	see JARRAH
<i>Eusideroxylon zwageri</i>	see BILLIAN

<i>Euxylophora paraensis</i>	see AMARELO
<i>Fitzroya cupressoides</i>	CITES (list I) - see ALERCE
Fraké	see LIMBA
FRAMIRÉ	Idigbo, Emeri, Black Afara (<i>Terminalia ivorensis</i>); West Africa
FREIJO	Cordia-Wood, (<i>Cordia goeldiana</i>); Brazil
Fromager	see KAPOKTRÆ
Fuma	see KAPOKTRÆ
Gaboon	see OKOUMÉ
Gaiac	see POKKENHOLT; CITES, List II
Gaiac Tree	see POKKENHOLT; CITES, List II
Galba	see BITANGOR
Gedu-Nohor	see TIAMA
GERONGGANG	Serugang, Bebya (<i>Cratoxylon spp.</i>); South East Asia
<i>Gonystylus bancanus</i>	CITES (list III) - see RAMIN
<i>Gonystylus spp.</i>	CITES (list III) - see RAMIN
<i>Gossweilerodendron</i>	
<i>balsamiferum</i>	see AGBA
Granadillo	see SUCUPIRA
Grand Bassam	see MAHOGNI, AFRIKANSK
GREENHEART	Demarara Groenheart (<i>Ocotea rogliae</i>); Guyana – Not to be confused with Groenheart from Surinam (see IPE).
GRENADILLE	African Blackwood (<i>Dalbergia melanoxylon</i>); East Africa
Grenadille,	
Centralameriansk	see COCOBOLO
Grignon Rouge	see LOURO
Grignon Fou	see QUARUABA
Grignon Franc	see LOURO
Groenhart, Demarara	see GREENHART
Groenheart, Surinam	see IPÉ – Not to be confused with Demarara Greenheart (see GREENHEART)
Gronfolo	see MANDIOQUERIA
<i>Guaiacum guatamalense</i>	see POKKENHOLT; CITES, List II
<i>Guaiacum officinale</i>	see POKKENHOLT; CITES, List II
<i>Guaiacum sanctum</i>	see POKKENHOLT; CITES, List II
<i>Guaiacum spp.</i>	see POKKENHOLT; CITES, List II
Guaiacum-Wood	see POKKENHOLT; CITES, List II

<i>Guarea cedrata</i>	see BOSSÉ
<i>Guarea laurentii</i>	see BOSSÉ
<i>Guarea thompsonii</i>	see BOSSÉ
Guarea, Black	see BOSSÉ
Guarea, Scented	see BOSSÉ
Guarea, White	see BOSSÉ
GUATAMBU	Marfim (<i>Balfourodendron riedelianum</i>); Brazil, Paraguay, Argentina
Guayacan	see IPÉ
<i>Guibourtia demeusei</i>	see BUBINGA
<i>Guibourtia ehie</i>	see WHIMAHWE
<i>Guibourtia pellegriana</i>	see BUBINGA
<i>Guibourtia tessmanii</i>	see BUBINGA
Guijo	see BALAU
Guino	see ANDIROBA
Guld "Mahogni"	see BILINGA
Gulu-Maza	see BILINGA
Gurjun	see YANG
Hendui	see AZOBÉ
Hintsy	see MERBAU
<i>Hopea spp.</i>	see THINGAN
Hora	see YANG
Huynh	see MENGKULANG
<i>Hymenaea courbaril</i>	see COURBARIL
<i>Hymenaea davisii</i>	see COURBARIL
<i>Hymenobium nitidum</i>	see SUCUPIRA
IBENHOLT	Sort Ibenholt, Afrikansk Ibenholt (<i>Diospyros spp.</i> , <i>D. crassiflora</i> , <i>D. atropurpurea</i> , <i>D. piscatoria</i>); West Africa and tropical Vestafrika West Africa, Zanzibar, Ceylon
Ibenholt, Sort	see IBENHOLT
Ibenholt, Afrikansk	see IBENHOLT
IBENHOLT, MACASSAR	<i>Diospyros macassar</i> , <i>D. selebica</i> , <i>D. rumphii</i> ; Celebes (Port of shipment Macassar)
IBENHOLT,	
MADAGASCAR	<i>Diospyros perrieri</i> ; Madasgacar
Idigbo	see FRAMIRÉ
Ikamre	see KOTO
ILOMBA	Akomu, Otié, Walélé (<i>Pycnanthus angolensis</i> , <i>P. kombo</i>); West and East Africa

Imbuia	see IMBUYA
IMBUYA	Imbuia, Canella (<i>Phoebe porosa</i>); Southern Brazil
Impas-Tualang	see KEMPAS
Indian Rosewood	see PALISANDER
<i>Intsia bijuga</i>	see MERBAU
<i>Intsia palembanica</i>	see MERBAU
IPÉ	Lapacho (<i>Tabebuia ipé</i>); Black Poui; (<i>T. rufescens</i>); NE South America; Pau d'Arco, Surinam groenheart, Yellow Poui (<i>T. serraifolia</i>); Guayacan; (<i>T. guayacan</i>); Central America, Mexico
IROKO	Kambala, Mvule, Odum, Abang (<i>Chlorophora excelsa</i> , <i>C. regia</i>); Tropical Africa
Ironwood, Borneo	see BILLIAN
Ironwood, Red	see AZOBÉ
Itebali	see QUARUABA
Jaboty	see JATOBY
Jacaranda, Rio	see PALISANDER – NB CITES list I
Jacareuba	see BITANGOR
Jambiré	see PANG-PANGA
Jarana	see MATA-MATA
JARRAH	Australsk "Mahogni" (<i>Eucalyptus marginata</i>); Australia
Jatoba	see COURBARIL
JATOBY	Jaboty, Cedrilho, Manonti Kouali, Quarubarana (<i>Erisma uncinatum</i>); Northern South America
JELUTONG	<i>Dyera costulata</i> ; Malyasia, Indonesia
JEQUITIBA	Rosa Jequitiba, Hvid Jequitiba, Tauary, Bacu, Abarco (<i>Cariniana spp.</i>); Brazil, Venezuela, Colombia
Jequitiba, Hvid	see JEQUITIBA
Jequitiba, Rosa	see JEQUITIBA
JONGKONG	Medang Tabak, Merebong, Mentibu (<i>Dactyloctadus stenostachysk</i>); South East Asia
Junero	see PALISANDER
Kadam	see LARAN
Kakarelli	see MATA-MATA
Kakendé	see KOTO
Kaku	see AZOBÉ
Kaliatur-træ	CITES (list II) - see RED SANDELWOOD
Kalungi	see UTILÉ
KAMAGONG	<i>Diospyros discolor</i> (Ibenholt-genus); the Philippines
Kambala	see IROKO

KAPOKTRÆ	Ceiba, Fuma, Fromager, Silk Cotton Tree, Trældstræ (<i>Ceiba pentandra</i> , <i>C. occidentalis</i>); the Tropics
KAPUR	Keladan, Borneo "Kamfertræ" (<i>Dryobalanops aromatica</i> , <i>D. spp.</i>); Malaysia, Indonesia, Sabah
Kaunghumu	see KRABAK
Kawaro	see ANINGRÉ
Kefe	see KOTO
Keladan	see KAPUR
KEMPAS	Mengaris, Impas-Tualang (<i>Koompassia malaccensis</i>); South East Asia
Keruing	see YANG
Kevazingo	see BUBINGA
<i>Khaya anthotheca</i>	see KRALA
<i>Khaya grandifoliola</i>	see MAHOGNI, AFRIKANSK
<i>Khaya ivorensis</i>	see MAHOGNI, AFRIKANSK
<i>Khaya-Mahogni</i>	see MAHOGNI, AFRIKANSK
Kirundu	see AKO
KOKKO	Siris (<i>Albizzia lebbbeck</i>); India, Myanmar
KOKRODUA	Afromrosia, Asamela, Obang, African Teak; (<i>Afromrosia elata</i> = <i>Pericopsis elata</i>), CITES list II; West Africa
Kondofino	see KOTIBÉ
<i>Koompassia malaccensis</i>	see KEMPAS
KOSIPO	Heavy Sapelli, Atom-Assié (<i>Entandrophragma candollei</i>); West Africa
KOTIBÉ	Danta, Otutu, Kondofino (<i>Nesogordonia papaveriferak</i>); West Africa
KOTO	Aké, Kefe, Kakendé, Kyere, Ikamre, Pterygota (<i>Pterygota bequaertii</i> , <i>P. macrocarpa</i>); West Africa
Koul	see MANSONIA
KRABAK	Ven-Ven, Palosapis, Mersawa, Kaunghumu (<i>Anisoptera spp.</i>); South East Asia
KRALA	Acajou-Blanc, White Mahogany; (<i>Khaya anthotheca</i>); Tropisk Vestafrika – also see MAHOGNI, AFRIKANSK
Krappa	see ANDIROBA
Kusia	see BILINGA
Kyere	see KOTO
Lahuan	CITES (list I) - see ALERCE
Landosan	see ANINGRÉ
Lapocho	see IPÉ
LARAN	Kadam (<i>Anthocephalus spp.</i>); India and the Solomon Islands
LAUAN	Species of Shorea, Parashorea and Pentacme from the Philippines with the trade classes LAUAN-"MAHOGANY", MAYAPIS, TANGILE and WHITE LAUAN - see these. LAUAN is in itself a sub-group of MERANTI.

LAUAN-"MAHOGNI"	Red Lauan, Philippine "Mahogany", Light Red Lauan, Tiaong (<i>Shorea negrosensis</i> , <i>S. spp.</i>); the Philippines – closely related to MAYAPIS, TANGILE and WHITE LAUAN
Lauan, Hvid	see LAUAN, WHITE
Lauan, Light Red	see LAUAN-"MAHOGNI" and LAUAN, WHITE
Lauan, Red	see LAUAN-"MAHOGNI"
LAUAN, WHITE	Hvid Lauan, Light Red Lauan, Bagtikan, Philippine White "Mahogany", Almon (<i>Shorea almon</i> , <i>S. squamata</i> , <i>Pentacme contorta</i> , <i>P. mindanensis</i> , <i>P. plicata</i>); Filipinerne - closely related to LAUAN-"MAHOGNY", MAYAPIS and TANGILE
Laurel	see LOURO
Lignum Vitae	see POKKENHOLT; CITES, List II
Lignum Vitae, Bastard	see POKKENHOLT; CITES, List II
Lignum Vitae, Commoner	see POKKENHOLT; CITES, List II
Lignum Vitae, Holywood	see POKKENHOLT; CITES, List II
Likafi	see SAPELLI
LIMBA	Afara, Akom, Fraké, Light Corina, Limba Clair, Limba blanc, Limbo-Noir, Corina, Noyer-Mayombe (<i>Terminalia superba</i>); Tropical West Africa
Limba blanc	see LIMBA
Limba Clair	see LIMBA
Limbo-Noir	see LIMBA
Locustree, Westindian	see COURBARIL
<i>Lophira alata</i>	see AZOBÉ
<i>Lophira procera</i>	see AZOBÉ
LOURO	Larger group originating from tropical America. Some uncertainty exists in relation to the botanical names. Comprise some 100 species e.g.: Louro Preto, L. Branco, L. Claro, L. Inhamui, L. Pardo, L. Preciosa, L. Vermelho (Red Louro), Laurel, Determa, Wana, Grignon Franc, Grignon Rouge, Canelo etc.. (<i>Ocotea spp.</i> , <i>Cordia spp.</i> , <i>Nectandra spp.</i>); Tropical America
Louro Branco	see LOURO
Louro Claro	see LOURO
Louro Inhamui	see LOURO
Louro Pardo	see LOURO
Louro Petro	see LOURO
Louro Preciosa	see LOURO
Louro Vermelho	
(Red Louro)	see LOURO
<i>Lovoa klaineane</i>	see DIBETOU
<i>Lovoa trichilioides</i>	see DIBETOU
Lumbayou	see MENGKULANG
Lusamba	see AVODIRÉ

Lyserød Meranti	see MERANTI, LIGHT-RED
Ma	see BITANGOR
Macacarecuia	see MATA-MATA
MACARANDUBA	<i>Manilkara bidentata</i>
<i>Magnolia lillifera</i>	
var. <i>obovata</i>	CITES (list III) - see SAFAN
Mahogany, Big Leaf	see MAHOGNI, AMERIKANSK
Mahogany, Brazilian	see MAHOGNI, AMERIKANSK
Mahogany, Honduras	see MAHOGNI, AMERIKANSK
Mahogany, Mexican	see MAHOGNI, AMERIKANSK
Mahogany, Pacific-coast	see MAHOGNI, AMERIKANSK
Mahogany, Tabasco	see MAHOGNI, AMERIKANSK
Mahogany,	
Tropical American	see MAHOGNI, AMERIKANSK
Mahogany, Venezuelan	see MAHOGNI, AMERIKANSK
Mahogany, White	see KRALA
MAHOGNI, AFRIKANSK	Large group from the <i>Khaya</i> -genus. Most common is: Khaya-Mahogni, Acajou d'Afrique, Ngollon, Grand Bassam, Sekondi-Mahogni (<i>Khaya ivorensis</i> , <i>K. grandifoliola</i>); West Africa - see also KRALA
MAHOGNI, AMERIKANSK	Large group from the <i>Swietenia</i> -genus, of which three species are listed by CITES (<i>S. mahogany</i> , <i>S. macrophylla</i> , <i>S. humilis</i> - all CITES, list II). A number of trading names are employed and several are confused. Most commonly employed are: Honduras-Mahogany, Tabasco-M., Peru-M. Aguano, Caoba (<i>Swietenia</i> spp.); Venezuelan M. (<i>S. candollei</i>); Mexican M., Pacific-coast M., Cobano, Caoba mejicana (<i>S. humilis</i>); Brazilian M., Araputanga (<i>S. tessmannii</i>); Tropical American M. (<i>S. krukovii</i>); Brazilian M., Big Leaf M., Bredbladet M., Mara, Centralamerikansk M., Caoba amerikana (<i>S. macrophylla</i>); Cuba-M., Ægte M., American M., Westindian M., Spansk M., San Domingo M. (<i>S. mahogany</i>); Central America and Tropical South America
Mahogni, Bredbladet	see MAHOGNI, AMERIKANSK
Mahogni,	
Centralamerikansk	see MAHOGNI, AMERIKANSK
Mahogni, San Domingo	see MAHOGNI, AMERIKANSK
Mahogni, Spansk	see MAHOGNI, AMERIKANSK
Mai-Pradoo	see PADAUK
MAKORÉ Baku	(<i>Mimusops heckelii</i> = <i>Dumoria heckelii</i>); Tropical West Africa
Manbarklak	see MATA-MATA
Mandio	see MANDIOQUERIA
MANDIOQUIERA	<i>Didymopanax longipetiolatum</i> , the name Mandioqueria is employed along with names as Mandio, Gronfola, Cedre gris and Quaruba-Azul for species belonging to the genus <i>Qualea</i> ; Tropical South America
<i>Manilkara bidentata</i>	see MACARANDUBA

Manonti Kouali	see JATOBY
MANSONIA	Bété, Aprono, Ofun, Koul, African "Walnut" (<i>Mansonia maltissima</i>); West Africa
<i>Mansonia maltissima</i>	see MANSONIA
Mara	see MAHOGNI, AMERIKANSK
Maracaibo "Pokkenholt"	see VERAWOOD and POKKENHOLT (CITES list II)
Marfim	see GUATAMBU
MATA-MATA	<i>Eschweilera mata-mata</i> ; the Amazon; several other species with similar properties exist in the genus of <i>Eschweilera</i> . Are traded in names as: Manbarklak, Kakaralli, Wabi, Toledo Wood, Macacarecuia, Jarana; Central and South America
MAYAPIS	<i>Shorea squamata</i> ; the Philippines – closely related to LAUAN-"MAHOGANY", TANGILE and WHITE LAUAN
Mbili	see AIÉLE
Medang Tabak	see JONGKONG
Melawis	CITES (list III) - see RAMIN
<i>Mellettia laurantii</i>	see WENGE
Mengaris	see KEMPAS
MENGGKULANG	Chumprak, Huynh, Lumbayou, Tulip "Oak" (<i>Tarrietia javanica</i> , <i>T. simplicifolia</i>); South East Asia
Mentibu	see JONGKONG
MERANTI	Main and sub-group designation of species of <i>Shorea</i> , <i>Parashorea</i> and <i>Pentacme</i> etc. Four sub-groups and a number of trade classes exist. The sub-groups are 1) MERANTI – species of <i>Shorea</i> in Malaysia, Sarawak, Brunei and Indonesia with the trade classes: LIGHT-RED MERANTI, DARKRED MERANTI and YELLOW MERANTI; 2) SERAYA – species of <i>Shorea</i> and <i>Parashorea</i> in Northern Borneo with the trade classes BORNEO WHITE SERAYA and NYATOH, 3) LAUAN – species of <i>Shorea</i> , <i>Parashorea</i> and <i>Pentacme</i> from the Philippines with the trade classes LAUAN-"MAHOGANY", MAYAPIS, TANGILE and WHITE LAUAN and 4) BALAU, the group name of heavy, dark coloured <i>Shorea</i> 's from the entire SE Asia. See more detailed information under the specific trade classes.
Meranti Merah	see MERANTI, LIGHT-RED
MERANTI, DARK-RED	Nemesu, Oba-Suluk, Dark Red Seraya, Mørkerød Meranti (<i>Shorea spp.</i>); Malaysia, Sarawak, Brunei and Indonesia.
Meranti, Gul	see MERANTI, YELLOW
Meranti, Hvid	see MERANTI, LIGHT-RED
MERANTI, LIGHT-RED	Meranti Merah, Hvid Meranti, Light Red Seraya, Binatoh, Lyserød Meranti (<i>Shorea spp.</i>); Malaysia, Sarawak, Brunei and Indonesia.
Meranti, Mørkerød	see MERANTI, DARK-RED
MERANTI, YELLOW	Gul Maranti, Yellow Seraya, Damar (<i>Shorea spp.</i>); Malaysia, Sarawak, Brunei and Indonesia.
Merawan	see THINGAN
MERBAU	Hintsy, Mirabow (<i>Intsia bijuga</i> , <i>I. palembanica</i>); South East Asia.
Merebong	see JONGKONG
MERPAUH	Civit, Thaug-Thayat (<i>Swintonia floribunda</i> , <i>Swintonia spp.</i>); South East Asia

Mersawa	see KRABAK
<i>Millettia laurentii</i>	see WENGÉ
<i>Millettia stuhlmannii</i>	see PANG-PANGA
<i>Mimusops djave</i>	see MOABI
<i>Mimusops heckelii</i>	see MAKORÉ
Miovu	see SAPELLI
Mirabow	see MERBAU
<i>Mitragyna ciliata</i>	see ABURA
<i>Mitragyna stipulosa</i>	see ABURA
MOABI	Ayab, Dimpambi (<i>Mimusops djave</i> = <i>Daillonella toxisperma</i>); West Africa
MONKEY PUZZLE	Chile-Pine (<i>Araucaria araucana</i>); CITES (list I); Chile, Palmas
<i>Mora megistosperma</i>	see NATO
MOVINGUI	Ayan, Nigerian "Satinwood", Afrikansk Citron (<i>Distemonanthus benthamianus</i>); West Africa
Mufumbi	see UTILÉ
Mukali	see ANINGRÉ
Muna	see ANINGRÉ
Mutigbanaye	see BOSSÉ
Mvule	see IROKO
Nagaedwood	see PALISANDER – NB Includes CITES- species
NARRA	Filippinsk Papadauk, Sena, Rød Narra, Angsena, Gul Narra (<i>Pterocarpus vernalis</i> , <i>P. indicus</i>); the Philippines.
Narra, Gul	see NARRA
Narra, Rød	see NARRA
NATO	Alcornoque (<i>Mora megistosperma</i>); Northern South America
<i>Nauclea trillesii</i>	see BILINGA
<i>Nectandra spp.</i>	see LOURO
Nemesu	see MERANTI, DARK-RED
<i>Nesogordonia papaveriera</i>	see KOTIBÉ
New Guinea "Walnut"	see DAO
Ngollon	see MAHOGNI, AFRIKANSK
NIANGON	Nyankom, Ogoué, Anguekong (<i>Tarrietia utilis</i> , <i>T. densiflora</i>); West Africa
Nigerian "Satinwood"	see MOVINGUI
Noyer-Mayombe	see LIMBA
Nyankom	see NIANGON
NYATOH	Balam (<i>Palaquium hexandru</i>); Malaysia, Borneo, Sumatra – sub-group of MERANTI.

Obang	CITES (LIST II) - see KOKRODUA
Oba-Suluk	see MERANTI, DARK-RED
Obeche	see ABACHI
Obobo-nekwi	see BOSSÉ
Obobo-nutwa	see BOSSÉ
<i>Ochroma lagopus</i>	see BALSA
<i>Ocotea rodiaei</i>	see GREENHART
<i>Ocotea spp.</i>	see LOURO
Odum	see IROKO
Ofun	see MANSONIA
Ogoué	see NIANGON
OKOUMÉ	Gaboon (<i>Aucoumea klaineana</i>); Gabon, Guinea, Cameroon, Congo
ONZABILI	Angona (<i>Antrocaryon klaineanum</i> , <i>A. mannii</i>); Cameroon and Gabon
Opepe	see BILINGA
<i>Oreomunnea pterocarpa</i>	CITES (list II)
OREY	Orey-Wood (<i>Camptosperma auriculata</i>); Central America
Orey-Wood	see OREY
ORIENTAL WOOD	Queensland "Walnut" (<i>Endiandra palmerstoni</i>); Queensland
Osan	see ANINGRÉ
Otié	see ILOMBA
Otutu	see KOTIBÉ
Ovengkol	see WHIMAHWE
OZIGO	Assia (<i>Pachylobus buettneri</i> = <i>Dacryodes buettneri</i>); West Africa
Ozobe	see AZOBÉ
<i>Pachylobus buettneri</i>	see OZIGO
Pacific "Walnut"	see DAO
PADAUK	Burma-Padauk, Mai-Pradoo, Pradu, Ægte Padauk (<i>Pterocarpus macrocarpus</i>); Myanmar and Thailand
PADOUK	Afrikansk Padouk, Bois Corail, Barwood (<i>Pterocarpus soyauxii</i>); West and East Africa
<i>Palaquium hexandru</i>	see NYATOH
Paldao	see DAO
PALISANDER	Rosewood. Larger group of species from the genus <i>Dalbergia</i> . <i>D. nigra</i> is comprised by CITES list I. The Palisander group contains some 250 species, divided into several sub-groups. These include: 1) RIO-PALISANDER: Rosewood, Brazilian Rosewood, Bahaia Rosewood, Rio Rosewood, Rio Jacaranda (<i>D. nigra</i>) - CITES LIST I; Eastern Brazil; 2) HONDURAS-PALISANDER: Honduras Rosewood, Nagaedwood (<i>D. stevensonii</i>); Honduras; 3) GUATEMALAPALISANDER: Guatemala Rosewood, Junero (<i>D. tucurensis</i> = <i>D. cubilquitzensis</i>); Eastern Guatemala and Honduras; 4) OSTINDISK PALISANDER: Indian Rosewood, Bombay Blackwood (<i>D. latifolia</i>); India and

	Java (also cultivated in e.g. Cameroon); 5) Others e.g. Para-Palisander, Rosenpalisander.
Palisander, Honduras-	see PALISANDER – NB includes CITES-species
Palisander, Ostindisk	see PALISANDER
Palosapis	see KRABAK
PANGA-PANGA	Jambiré (<i>Millettia stuhlmannii</i>); Tropical East Africa
Papadouk, Filippinsk	see NARRA
Para-Amorello	see AMARELO
Para-Palisander	see PALISANDER
<i>Parashorea malaanonan</i>	see SERAYA, BORNEO WHITE
Partridge	see SUCUPIRA
Partridgewood	see SUCUPIRA
Patagonia "Cypress"	CITES (list I) - see CIPRES CHILENO
Pau Amarelo	see AMARELO
Pau d'Arco	see IPÉ
Pau Marfim	see AMARILLO
Pau Pereira	see ANGELIM VERMELHO
Pau Setim	see AMARELO and AMARILLO
Penkwa	see SAPELLI
<i>Pentacme contorta</i>	see LAUAN, WHITE
<i>Pentacme mindanensis</i>	see LAUAN, WHITE
<i>Pentacme plicata</i>	see LAUAN, WHITE
Pequia-Marfim	see PEROBA-AMARELLA
<i>Pericopsis elata</i>	CITES (LIST II) - see KOKRODUA
PEROBA-AMARELLA	Pequia-Marfim (<i>Aspidospernum eburneum</i>); Brazil
Peru-mahogni	see MAHOGNI, AMERIKANSK
Petir	see SEPETIR
Philippine "Mahogany"	see LAUAN-"MAHOGNI"
Philippine	
White "Mahogany"	see LAUAN, WHITE
<i>Phoede porosa</i>	see IMBUYA
<i>Pilgerodendron uviferum</i>	CITES (list I) - see CIPRES CHILENO
<i>Piptadenia africana</i>	see DABEMA
PIQUIA	Sawarie, Bois de Tatajuba (<i>Caryocar brasiliense</i> , <i>C. nuciferum</i> , <i>C. glabrum</i>); Northern South America – NB from same genus exist the CITES- species <i>Caryocar costaricensis</i> (list II)
<i>Platycyamos regnellii</i>	see ANGELIM VERMELHO

<i>Platymiscium pleistachyum</i>	CITES (list II)
<i>Podocarpus neriifolius</i>	CITES (list III)
<i>Podocarpus parlatorei</i>	CITES (list I)
POKKENHOLT	Ægte Pokkenholt. Species from the genus of <i>Guaiaicum</i> , all listed by CITES, list II: <i>Lignum Vitae</i> , Holywod Lignum Vitae, Bastard Lignum Vitae, Commoner Lignum Vitae, Guaiacum-Wood, Gaiac, Guaiac Tree, Vera, San Domingo Pokkenholt, Cuba Pokkenholt, Jamaica Pokkenholt, Puerto Caballa Pokkenholt (<i>Guaiaicum officinale</i> , <i>G. sanctum</i> , <i>G. guatamalense</i> , <i>G. spp.</i>); Tropical America
Pokkenholt, Cuba	see POKKENHOLT; CITES, List II
Pokkenholt, Jamiaca	see POKKENHOLT; CITES, List II
Pokkenholt,	
Puerto Caballa	see POKKENHOLT; CITES, List II
Pokkenholt,	
San Domingo	see POKKENHOLT; CITES, List II
Poon	see BITANGOR
Poui, Black	see IPÉ
Poui, Yellow	see IPÉ
Pradu	see PADAUK
<i>Prioria copaifera</i>	CATIVO
<i>Prunus africanus</i>	CITES (list II)
<i>Pseudosindora palustris</i>	see SEPETIR
<i>Pterocarpus macrocarpus</i>	see PADAUK
<i>Pterocarpus santalinus</i>	CITES (list II) - see RED SANDELWOOD
<i>Pterocarpus souauii</i>	see PADOUK
<i>Pterocarpus vidalianus</i>	see NARRA
<i>Pterygota</i>	see KOTO
<i>Pterygota bequaertii</i>	see KOTO
<i>Pterygota macrocarpa</i>	see KOTO
PUNAH	<i>Tetramerista glabra</i> ; Malaysia and surroundings
<i>Pycnanthus angolensis</i>	see ILOMBA
<i>Pycnanthus kombo</i>	see ILOMBA
<i>Quala spp.</i>	see MANDIOQUERIA
Quara-Azul	see MANDIOQUERIA
QUARUABA	Yemeri, Grignon Fou, Itebali (<i>Vochysia hondurensis</i> , <i>V. spp.</i>); South and Central America
Quarubarana	see JATOBY
Queensland "Walnut"	see ORIENTAL WOOD
RAMIN	Melawis (<i>Gonostylus spp.</i> , navnlig <i>G. bancanus</i>); CITES (list III) – all <i>Gonystylus spp.</i> ; Malaysia and Indonesia

Red Cabbage-bark	see SUCUPIRA
RED SANDELWOOD	Kaliatur-træ, Red Sanders (<i>Pterocarpus santalinus</i>); CITES (list II)
Red Sanders	CITES (list II) - see RED SANDELWOOD
Red Selanga	see BALAU
Rio Jacaranda	see PALISANDER
Rode Kabbes	see SUCUPIRA
Rosen-palisander	see PALISANDER
Rosewood	see PALISANDER – NB CITES list I
Rosewood, Bahaia	see PALISANDER - NB CITES list I
Rosewood, Brazilian	see PALISANDER - NB CITES list I
Rosewood, Guatemala	see PALISANDER
Rosewood, Honduras	see PALISANDER - NB Include CITES-species
Rosewood, Indian	see PALISANDER
Rosewood, Rio	see PALISANDER - NB CITES list I
SAFAN	Champac (<i>Talauma hodgsnii</i> = <i>Magnolia liliifera</i> var. <i>obovata</i>); CITES (list III); Nepal, Himalaya
Sal	see BALAU
Samba	see ABACHI
SANTA-MARIA	Jacareuba, Galba (<i>Calophyllum brasiliense</i>); Tropical South America
SAPELLI	Aboudikro, Likafi, Penkwa, Miovu (<i>Entandrophragma cylindricum</i>); Tropical Africa
Sapelli, Heavy	see KOSIPO
Sapupira	see SUCUPIRA
SAQUI-SAQUI	<i>Bombacopsis sepium</i> ; Venezuela
<i>Sarcocephalus</i>	
<i>diderrichii</i>	see BILINGA
<i>Sarcocephalus</i> spp.	see BILINGA
Sawarie	see PIQUIA
Sekondi-Mahogni	see MAHOGNI, AFRIKANSK
Selanga Batu	see BALAU
Selangan-Batu	see THINGAN
Sena	see NARRA
SEPETIR	Petir (<i>Pseudosindora palustris</i>); Thailand, the Philippines, Malaysia, Northern Borneo
Seray, Hvid	see MERANTI, LIGHT-RED
SERAYA	Species of <i>Shorea</i> and <i>Parashorea</i> in Northern Borneo comprising the trade classes BORNEO WHITE SERAYA and NYATOH - see these. SERAYA is in itself a sub-group of MERANTI.

SERAYA, BORNEO WHITE	Urat-Mata (<i>Parashorea malaanonan</i>); Northern Borneo
Seraya, Dark-Red	see MERANTI, DARK-RED
Seraya, Light Red	see MERANTI, LIGHT-RED
Seraya, Yellow	see MERANTI, YELLOW
Serungang	see GERONGGANG
<i>Shorea almon</i>	see LAUAN, WHITE
<i>Shorea negrosensis</i>	see LAUAN-"MAHOGNI"
<i>Shorea polysperma</i>	see TANGILE
<i>Shorea spp.</i>	see LAUAN-"MAHOGNI"
<i>Shorea spp.</i>	see MERANTI, SERAYA, LAUAN and BALAU
<i>Shorea squamata</i>	see LAUAN, WHITE
<i>Shorea squamata</i>	see MAYAPIS
Silk Cotton Tree	see KAPOKTRÆ
Sipo	see UTILÉ
Siris	see KOKKO
St. Martin-Gris	see SUCUPIRA
St. Martin-Rouge	see SUCUPIRA
Subaha	see ABURA
SUCUPIRA	Large group comprising many genera and species, often with identical names. Includes a.o.: Tatabu, Coer Dehors, Zwarte Kabbes (<i>Diploptropis purpurea</i>); Sucupira-Parda, Alcornoque (<i>Bowdichia virgilioides</i> etc.); Sapupira, Sucupira-Assu, St. Martin-Gris (<i>Diploptropis martiusii</i> = <i>Hymenobium nitidum</i>); Angelin, St. Martin-Rouge, Red Cabbage-bark, Rode Kabbes (<i>Andira coriacea</i>); Granadillo, Brown Ebony, Partridgewood (<i>Caesalpinia granadillo</i>); Partridge, Agerhønsetræ, Angelin (<i>Andira inermis</i>); Tropical America
Sucupira-Assu	see SUCUPIRA
Sucupira-Parda	see SUCUPIRA
SUREN	Toon, Thitkado, Yomhom, Calantas, Yoan moc (<i>Toona febrifuga</i> , <i>T. calantas</i> , <i>T. sureni</i>); South East Asia
<i>Swietenia candollei</i>	see MAHOGNI, AMERIKANSK
<i>Swietenia humilis</i>	CITES (list II) see MAHOGNI, AMERIKANSK
<i>Swietenia krukovii</i>	see MAHOGNI, AMERIKANSK
<i>Swietenia macrophylla</i>	CITES (list II) see MAHOGNI, AMERIKANSK
<i>Swietenia mahogany</i>	CITES (list II) see MAHOGNI, AMERIKANSK
<i>Swietenia tessmannii</i>	see MAHOGNI, AMERIKANSK
<i>Swintonia floribunda</i>	see MERPAUH
<i>Swintonia spp.</i>	see MERPAUH
<i>Tabebuia spp.</i>	see IPÉ
Takien	see THINGAN

<i>Talauma hodgsnii</i>	CITES (list III) - see SAFAN
TANGILE	<i>Shorea polysperma</i> ; the Philippines – closely related to LAUAN-"MAHOGANY", MAYAPIS and WHITE LAUAN
<i>Tarrietia densiflora</i>	see NIANGON
<i>Tarrietia javanica</i>	see MENGKULANG
<i>Tarrietia simplicifolia</i>	see MENGKULANG
<i>Tarrietia utilis</i>	see NIANGON
Tatabu	see SUCUPIRA
Tauary	see JEQUITIBA
<i>Taxus wallichiana</i>	CITES (list II)
TEAK	Kyun, Sagun, Sagwan, Djati, Mai-Sak, Gia-Ti (<i>Tectona grandis</i>); naturally occurring between 10 and 25 degrees of northern latitude in Asia, also cultivated in South America and Africa
<i>Terminalia ivorensis</i>	see FRAMIRÉ
<i>Terminalia superba</i>	see LIMBA
<i>Tetracentron sinense</i>	CITES (list III)
<i>Tetramerista glabra</i>	see PUNAH
Thaung-Thayat	see MERPAUH
THINGAN	Merawan, Takien, Selangan-Batu (used to indicate all heavy, red tree species in Borneo) <i>Hopea spp</i> ; South East Asia
Thitkado	see SUREN
TIAMA	Gedu-Nohor, Edinam, Edoussié (<i>Entandrophragma angolense</i>); West Africa and Central Africa
Tiaong	see LAUAN-"MAHOGNI"
Tigerwood	see COURBARIL
Tola	see AGBA
Tola-Branca	see AGBA
Toledo Wood	see MATA-MATA
Toon	see SUREN
<i>Toona calantas</i>	see SUREN
<i>Toona febrifuga</i>	see SUREN
<i>Toona sureni</i>	see SUREN
Trach	see YANG
<i>Triplochiton scleroxylon</i>	see ABACHI
Træuldstræ	see KAPOKTRÆ
Tulip "Oak"	see MENGKULANG
<i>Tuttaeanthus spp.</i>	see AVODIRÉ
Tutu	see ANINGRÉ

Urat-Mata	see SERAYA, BORNEO WHITE
UTILÉ	Sipo, Assié, Kalungi, Mufumbi (<i>Entandrophragma utile</i>); West Africa and Central Africa
Ven-Ven	see KRABAK
Vera	see POKKENHOLT (CITES, List II) and VERAWOOD
Vera	see VERAWOOD and POKKENHOLT (CITES list II) Vera "Pokkenholt"
VERAWOOD	Vera "Pokkenholt", Maracaibo "Pokkenholt", Vera (<i>Bulnesia arborea</i>); Venezuela and Columbia – NB beware of confusion, the name "Vera" is also used for Pokkenholt (<i>Guaiacum</i> -genus), which is listed by CITES list II - see also POKKENHOLT
Virola	see BANAK
<i>Virola spp.</i>	see BANAK
<i>Virola surinamensis</i>	see BANAK
<i>Vochysia hondurensis</i>	see QUARUABA
<i>Vochysia spp.</i>	see QUARUABA
Wabi	see MATA-MATA
Waka	see BUBINGA
Walélé	see ILOMBA
Wana	see LOURO
Wawa	see ABACHI
WENGE	Awong (<i>Millettia laurentii</i>), Congo and Cameroon
WHIMAHWE	Ovengkol, Amazoué (<i>Guibourtia ehie</i>); West Africa
Yakal	see BALAU
YANG	Gurjun, Keruing, Dau, Hora, Apitong, Trach (<i>Dipterocarpus spp.</i>); South East Asia
Yemeri	Central America
Yoan moc	see SUREN
Yomhom	see SUREN
Zwarte Kabbes	see SUCUPIRA
Ægte Padauk	see PADAUK